

1. Identification of the substance/preparation and of the company/undertaking

1.1 Identification of the product

1.1 Iuchuncation of th	
Product code: B501	0
Product name: Bori	c acid
CAS No.: 10043-35-	3
1.2 Recommended use	e and restriction on use
General use	: for experimental, research and industrial use
Restriction on use	: Never drink, Not used except for experimental, research and industrial applications.
1.3 Manufacturer / Su	ipplier / Distributor information
Importer/distributo	rs identification
Company	: ASIA CHEMIE (THAILAND) CO., LTD.
Address	: 44/27 Moo.4 T.Huaykapi A.Muangchonburi, Chonburi, Thailand. 20130
Telephone number	: +66 3838 7988
Fax number	: +66 3838 7989
E-mail	: asiachemie@gmail.com, natchakot@asiachemie.com, natchakot@gmail.com

2. Hazards identification

2.1 GHS Classification

Reproductive toxicity: Category1B

2.2 GHS label elements

Hazard symbols



Signal word: Danger

Hazard Statements H360 May damage fertility or the unborn child.

Precautionary Statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulation.

2.3 Other hazards which do not result in classification : (NFPA Classification)

NFPA grade (0 ~ 4 level)

- Health : 2, Flammability : 0, Reactivity : 0

3. Composition/information on ingredients

Chemical Name	Synonyms	CAS Number	Concentration %
Boric acid, crude natural	Hydrogen orthoborate; Orthoboric acid; Boron trihydroxide: Trihydroxyborane; Boric acid; Boracic acid	10043-35-3	100

4. First aid measures

4.1 Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15 minutes and call a doctor/physician.
- Get medical attention immediately.

4.2 Skin contact

- Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
- Wash contaminated clothing thoroughly before re-using.
- Get medical attention immediately.
- Remove contaminated clothing, shoes and isolate.
- Wear gloves when washing the patient, and please avoid contact with contaminated clothing.

4.3 Inhalation contact



- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.
- Get medical attention immediately.
- If breathing is stopped or irregular, give artificial respiration and supply oxygen

4.4 Ingestion contact

- Please be advised by doctor whether induction of vomit is demanded or not.
- Rinse your mouth with water immediately.
- Get medical attention immediately.
- 4.5 Delayed and immediate effects and also chronic effects from short and long term exposure
- Not available

4.6 Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.
- If exposed or concerned, get medical attention/advice

5. Fire-fighting measures

5.1 Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing
- **5.2 Specific hazards arising from the chemical**
- Not available

5.3 Special protective actions for firefighters

- Move containers from fire area, if you can do without the risk.
- Keep unauthorized personnel out.
- Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Notify your local firestation and inform the location of the fire and characteristics hazard.
- In case of conflagration, use automatic fire sprinkler. Major fire may require withdrawal, allowing the object itself to
- burn.
- Keep containers cool with water spray.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Ventilate closed spaces before entering.
- Move container to safe area from the leak area.
- Remove all sources of ignition.
- Handle the damaged containers or spilled material after wearing appropriate protective equipment
- Keep unauthorized people away, isolate hazard area and deny entry.

6.2 Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

6.3 Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notify the central and local government if the emission reach the standard threshold.
- Disposal of waste shall be in compliance with the Wastes Control Act.
- Appropriate container for disposal of spilled material collected.
- Small liquid state spills: Appropriate container for disposal of spilled material collected.
- Put the spilled material in an appropriate containers and clean the contaminated area.
- Spilled material should be treated as a potential risk of waste collected.

7. Handling and storage

7.1 Precautions for safe handling

- Avoid direct physical contact.
- Comply with all applicable laws and regulations for handling
- Do not handle until all safety precautions have been read and understood.
- Operators should wear antistatic footwear and clothing.
- Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

- Save in cool, dry and well ventilated place.
- Do not use damaged containers.
- Store according to current laws and regulations
- Please pay attention to incompatibilities materials and conditions to avoid. Keep sealed when not in use.
- Collected them in sealed containers.

8. Exposure controls/personal protection

8.1 Exposure limits

ACGIH TLV

- [Boric acid, crude natural]: TWA, 2 mg/m3, Inhalable Particulate mass

- OSHA PEL
- Not available

8.2 Engineering controls

- Business owner is recommended to maintain below recommended exposure limits for the working place with general exhaust of gas/vapour/mist/fume

8.3 Individual protection measures, such as personal protective equipment

Respiratory protection

- Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
- Respiratory protection is ranked in order from minimum to maximum.
- Consider warning properties before use.
- Dust, mist, fume-purifying respiratory protection
- Air-purifying respirator with high-efficiency particulate filtering.
- Any respiratory protection with a electromotion fan (for dust, mist, fume-purifying).
- Self-contained breathing apparatus with a corpuscle filter of high efficiency.
- For Unknown Concentration or Immediately Dangerous to Life or Health: Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.

Hand protection

- Wear appropriate glove.

Skin protection

- Wear appropriate clothing.

Others

- Not available

9. Physical and chemical properties

A. Appearance	
- Appearance	Solid (Other)
- Color	colorless, white
B. Odor	odorless
C. Odor threshold	Not available
D. pH	5.1 (0.6% solution)
E. Melting point/Freezing point	171 °C
F. Initial Boiling Point/Boiling Ranges	Not available
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability (solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	Not available
L. Solubility	5 g/100 ml (25°C)
M. Vapour density	Not available
N. Specific gravity (Relative density)	1.4
O. Partition coefficient of n-octanol/water	0.18
P. Autoignition temperature	Not available
Q. Decomposition temperature	170-180 °C



R. Viscosity	Not available
S. Molecular weight	61.84
T. Molecular formula	НЗВОЗ

10. Stability and reactivity

10.1 Chemical Stability

- This material is stable under recommended storage and handling conditions.

10.2 Possibility of hazardous reactions

- Hazardous Polymerization will not occur

10.3 Conditions to avoid

- Avoid contact with incompatible materials and condition.

- Avoid: Accumulation of electrostatic charges, Heating, Flames and hot surfaces
- **10.4 Incompatible materials**

- Not available

10.5 Hazardous decomposition products

- May emit flammable vapour if involved in fire

11. Toxicological information

11.1 Information on the likely routes of exposure

Respiratory tracts - Not available Oral - Not available Eye · Skin - Not available 11.2 Delayed and immediate effects and also chronic effects from short and long term exposure Acute toxicity * Oral - [Boric acid, crude natural]: LD50 = 2660 mg/kg Rat (HSDB, NITE) * Dermal - [Boric acid, crude natural]: LD50 > 2000 mg/kg Rabbit (HSDB) * Inhalation - Not available Skin corrosion/irritation - Not available Serious eye damage/irritation - Not available **Respiratory sensitization** - Not available Skin sensitization - Not available Carcinogenicity * IARC - Not available * OSHA - Not available * ACGIH - [Boric acid, crude natural]: A4 * NTP - Not available * EU CLP - Not available Germ cell mutagenicity - Not available **Reproductive toxicity** - May damage fertility or the unborn child. **STOT-single exposure** - Not available STOT-repeated exposure - Not available



Aspiration hazard

- Not available

12. Ecological information

12.1 Ecotoxicity

Fish

- [Boric acid, crude natural]: LC50 600 mg/l 96 hr

- Crustaceans
 - Not available

Algae

- Not available

12.2 Persistence and degradability

Persistence

- Not available

Degradability

- Not available

12.3 Bioaccumulative potential

Bioaccumulative potential

- [Boric acid, crude natural] : (90 day (12°C), Oncorhynchus tschawytscha (Fis hr, fresh water, marine), 34 mg/l) **Biodegration**

- Not available

12.4 Mobility in soil

- Not available
- 12.5 Other adverse effects
 - Not available

13. Disposal considerations

13.1 Disposal methods

- Stabilization and minimization treatment by incineration or similar method can be applied, if more than two kinds of designated wastes are in mixture state and it is impractical to separate them.
- Oil water separation technology shall be applied as pre-waste treatment if it is applicable.
- It shall be treated by incineration.
- Do disposal as neutralization, hydrolysis and oxidation-reduction.
- High temperature incinerating, high-temperature melt processing will be landfilled.
- Solidification processing.

13.2 Special precautions for disposal

- Anyone with business license number who generates industrial wastes shall treat the waste by him/herself or by entrusting to the legal entities who treat the wastes, recycle the wastes of others or install and operate the waste treatment facilities according to the Wastes Control Act.
- Dispose of waste in accordance with all applicable laws and regulations.

14. Transport information

- 14.1 UN No. (IMDG CODE/IATA DGR)
- Not applicable
- 14.2 Proper shipping name
- Not applicable
- 14.3 Hazard Class
- Not applicable
- 14.4 IMDG CODE/IATA DGR Packing group
- Not applicable

14.5 Marine pollutant

- Not applicable

14.6 Special precautions for user related to transport or transportation measures

- Local transport follows in accordance with Dangerous goods Safety Management Law.
- Package and transport follow in accordance with Department of Transportation (DOT) and other regulatory agency requirements.
- EmS FIRE SCHEDULE: Not available
- EmS SPILLAGE SCHEDULE: Not available
- Air transport t(IATA): Not subject to IATA regulations.



15. Regulatory information

15.1 National and/or international regulatory information **POPs Management Law** - Not applicable **Information of EU Classification** * Classification - [Boric acid, crude natural]: H360FD **U.S. Federal regulations** * OSHA PROCESS SAFETY (29CFR1910.119) - Not applicable * CERCLA Section 103 (40CFR302.4) - Not applicable * EPCRA Section 302 (40CFR355.30) - Not applicable * EPCRA Section 304 (40CFR355.40) - Not applicable * EPCRA Section 313 (40CFR372.65) - Not applicable **Rotterdam Convention listed ingredients** - Not applicable **Stockholm Convention listed ingredients** - Not applicable **Montreal Protocol listed ingredients** - Not applicable 16. Other information Reason for the revision: General update. Date: 10/7/2014

Revision 5 Date: 07/06/2021

No warranty, expressed or implied for a particular purpose or otherwise is made, except the products herein discussed comply to the chemical description on the labels. Buyer assumers risks of the use, storage and handling. Producer or distributors shall not be liable for any incidental or consequential damages arising directly or indirectly in connection with the purchase, use, storage or handling of this product. The information contained herein is, to the best of our knowledge, true and accurate. However, all recommendations or suggestions are made without guarantee, since the conditions of use are beyond our control. We disclaim any liability incurred in connection with the use of these data or suggestions.