

Methylene Chloride 99.5%[75-09-2] (CH₂Cl₂) FW:84.93**Product code. 3957****GR Grade**

TESTS	UNIT	SPECIFICATION
Appearance	-	Clear. volatile liquid.
Identification	-	IR spectrometry.
Assay (by GC)	%	Min. 99.5
Color (APHA)	-	Max. 10
Density (at 20°C)	g/ml	1.320 ~ 1.330
Water	%	Max. 0.05
Residue after evaporation	%	Max. 0.002
Acidity (as HCl)	%	Max. 0.01
Free chlorine	-	To pass test
Iron (Fe)	ppm	Max. 1
Substances darkened by sulfuric acid	-	To pass test
Substances consumption iodine	-	To pass test
Preservative (Amylene)	%	Max. 0.005

Test Method : JIS K 8161**DUKSAN PURE CHEMICALS CO. LTD**

Ansan | 53, Sinwon-ro 133beon-gil, Danwon-gu, Ansan-si, Gyeonggi-do, Korea
JinCheon | 13-37, Sansusandan 1-ro, Deoksan-eup, Jincheon-gun, Chungcheongbuk-do,
Korea

TEL : +82-31-495-4057 FAX : +82-31-495-8364

World Wide Web : WWW.DUKSAN.KR

E-mail : QC@DUKSAN.KR



Quality Assurance Director